

TABLE OF CONTENTS

Part Number	Description
PTAC REAR GRILLES	
GRILLE-PLA-ALPIN	Grille, Polymer Architectural, 42 x 16 -Alpine Beige
GRILLE-PLA-BEIGE	Grille, Polymer Architectural, 42 x 16 -Beige
GRILLE-PLA-DBRNZ	Grille, Polymer Architectural, 42 x 16 -Dark Bronze
GRILLE-PLA-SDOVE	Grille, Polymer Architectural, 42 x 16 -Soft Dove
GRILLE-PLA-WHITE	Grille, Polymer Architectural, 42 x 16 -White

Submittal Data: GRILLE-PLA-ALPIN

Architectural Polymer Grille

Job Name	Location	Date
Purchaser	Engineer	
Submitted To	For	<input type="checkbox"/> Reference <input type="checkbox"/> Approval <input type="checkbox"/> Construction
Schedule No.		

GENERAL FEATURES




- Decorative 1-piece molded grille.
- Colorfast, lightly textured finish.
- 42 in. x 16 in. design.
- Meets UL flammability rating of UL94-2V.
- Right & left drain slots provided.
- Condenser air baffle/gaskets with vertical air deflectors.
- Contains UV protector.



Specifications
Material: Injection Molding Polycarbonate
Finish: Alpine Beige
Louver Thickness: 0.125-in
Wall & Rib Thickness: 0.070-in
Louver Pitch: 49°
Condenser Free Area: 65.3 %

Unit Dimensions	
Length	42.0-in
Height	15.9-in
Depth	1.16-in
Weight	7.0-lbs
Shipping Dimensions	
Length	43.5-in
Height	2.0-in
Depth	16.5-in
Weight	7.5-lbs
Pallet Qty	44 pcs

Units: Inch(mm)



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All rights reserved.

Submittal Data: GRILLE-PLA-BEIGE

Architectural Polymer Grille

Job Name _____ Location _____ Date _____


Purchaser _____ Engineer _____

Submitted To _____ For Reference Approval Construction

Schedule No. _____

GENERAL FEATURES

- Decorative 1-piece molded grille.
- Colorfast, lightly textured finish.
- 42 in. x 16 in. design.
- Meets UL flammability rating of UL94-2V.
- Right & left drain slots provided.
- Condenser air baffle/gaskets with vertical air deflectors.
- Contains UV protector.



Specifications

Material: Injection Molding Polycarbonate
 Finish: Beige
 Louver Thickness: 0.125-in
 Wall & Rib Thickness: 0.070-in
 Louver Pitch: 49°
 Condenser Free Area: 65.3 %




Unit Dimensions

Length	42.0-in
Height	15.9-in
Depth	1.16-in
Weight	7.0-lbs

Shipping Dimensions

Length	43.5-in
Height	2.0-in
Depth	16.5-in
Weight	7.5-lbs
Pallet Qty	44 pcs

Units: Inch(mm)



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All rights reserved.

Submittal Data: GRILLE-PLA-DBRONZ

Architectural Polymer Grille

Job Name	Location	Date
Purchaser	Engineer	
Submitted To	For	<input type="checkbox"/> Reference <input type="checkbox"/> Approval <input type="checkbox"/> Construction
Schedule No.		

GENERAL FEATURES

- Decorative 1-piece molded grille.
- Colorfast, lightly textured finish.
- 42 in. x 16 in. design.
- Meets UL flammability rating of UL94-2V.
- Right & left drain slots provided.
- Condenser air baffle/gaskets with vertical air deflectors.
- Contains UV protector.



Specifications

Material: Injection Molding Polycarbonate
 Finish: Dark Bronze
 Louver Thickness: 0.125-in
 Wall & Rib Thickness: 0.070-in
 Louver Pitch: 49°
 Condenser Free Area: 65.3 %




Unit Dimensions

Length	42.0-in
Height	15.9-in
Depth	1.16-in
Weight	7.0-lbs

Shipping Dimensions

Length	43.5-in
Height	2.0-in
Depth	16.5-in
Weight	7.5-lbs
Pallet Qty	44 pcs

Units: Inch(mm)



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All rights reserved.


Submittal Data: GRILLE-PLA-SDOVE

Architectural Polymer Grille

Job Name	Location	Date
Purchaser	Engineer	
Submitted To	For	<input type="checkbox"/> Reference <input type="checkbox"/> Approval <input type="checkbox"/> Construction
Schedule No.		

GENERAL FEATURES

- Decorative 1-piece molded grille.
- Colorfast, lightly textured finish.
- 42 in. x 16 in. design.
- Meets UL flammability rating of UL94-2V.
- Right & left drain slots provided.
- Condenser air baffle/gaskets with vertical air deflectors.
- Contains UV protector.



Specifications

Material: Injection Molding Polycarbonate
 Finish: Soft Dove Beige
 Louver Thickness: 0.125-in
 Wall & Rib Thickness: 0.070-in
 Louver Pitch: 49°
 Condenser Free Area: 65.3 %




Unit Dimensions

Length	42.0-in
Height	15.9-in
Depth	1.16-in
Weight	7.0-lbs

Shipping Dimensions

Length	43.5-in
Height	2.0-in
Depth	16.5-in
Weight	7.5-lbs
Pallet Qty	44 pcs

Units: Inch(mm)



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All rights reserved.


Submittal Data: GRILLE-PLA-WHITE

Architectural Polymer Grille

Job Name	Location	Date
Purchaser	Engineer	
Submitted To	For	<input type="checkbox"/> Reference <input type="checkbox"/> Approval <input type="checkbox"/> Construction
Schedule No.		

GENERAL FEATURES

- Decorative 1-piece molded grille.
- Colorfast, lightly textured finish.
- 42 in. x 16 in. design.
- Meets UL flammability rating of UL94-2V.
- Right & left drain slots provided.
- Condenser air baffle/gaskets with vertical air deflectors.
- Contains UV protector.



Specifications

Material: Injection Molding Polycarbonate
 Finish: White
 Louver Thickness: 0.125-in
 Wall & Rib Thickness: 0.070-in
 Louver Pitch: 49°
 Condenser Free Area: 65.3 %




Unit Dimensions

Length	42.0-in
Height	15.9-in
Depth	1.6-in
Weight	7.0-lbs

Shipping Dimensions

Length	43.5-in
Height	2.0-in
Depth	16.5-in
Weight	7.5-lbs
Pallet Qty	44 pcs

Units: Inch(mm)



Specifications are subject to change without notice. Manufacturer reserves the right to discontinue or modify specifications or designs without notice or without incurring obligations. All rights reserved.